


Ceiling DALI DIMMING Sensor Range

Wiring

Terminate cables into connections as per wiring diagram below and fit wiring cover.


Secure the cable/bar clamp using 14mm screws (supplied). Do not overtighten.




clamp cable Ø 3-7mm



clamp cable Ø 7.5-12mm



Typical cable preparation.




The pluggable green connectors can be removed from the sensor if needed to make wiring easier.

If supplying your own cable for sensor connections, please use 2-core 0.75mm² (min.) Mains rated cable. The working voltage of the sensor is 16V approx, but as DALI Connections are not defined as Safety Extra Low Voltage (SELV), Mains-rated cable must be used for connections.

Flush fixing

Drill a Ø 73mm hole in the ceiling.

Push springs upwards and insert the sensor into the hole.



Surface fixing



Separate head and power supply by pressing the blue release lug.

Remove springs by pressing spring legs together and unhook them from power supply body.

Fix to Besa box or direct to surface using suitable 3.5mm or No.6 screws (not supplied).


Refit head to power supply.

Attach the surface mounting sleeves (SMSLW (White) or SMSLB (Black) sold separately) to the sensor.




WARNING: This device should be installed by a qualified electrician in accordance with the latest edition of the UK Wiring regulations.

Dimensions



Detection Range



Specifications

Supply Voltage	Via DALI PSU (9.5VDC to 22VDC)	Compliance 2014/35/EU Low Voltage Directive 2014/30/EU Electromagnetic Compatibility Directive 2014/53/EU Radio Equipment Directive 2011/65/EU Restriction of Hazardous Substances (RoHS) Directive
No of DALI Drivers	64 max.	
Terminal Capacity	0.5mm ² to 1.5mm ²	
Time Out Period	1 sec to 240mins	
Working Temperature	-10 to +35°C	
Material (Casing)	ABS Dev962 UL 94 VO	

Further Information



Scan QR code for full product datasheet

Download the Cucumber Controls app on App Store or Google Play



Blackhill Dr, Wolverton Mill,
Wolverton, Milton Keynes, MK12 5TS

03330 347799

enquiries@cucumberlc.co.uk

www.cucumberlc.co.uk

